

IJHMS-Rina Wijayanti dan Dina Raidanti OKE.docx

by Hamdiah Ahmar

Submission date: 05-Aug-2023 07:10PM (UTC+0900)

Submission ID: 1988794135

File name: IJHMS-Rina_Wijayanti_dan_Dina_Raidanti_OKE.docx (43.92K)

Word count: 5793

Character count: 30676

Knowledge, Attitude, Motivation and Husband Support in Women of Childbearing Age with the Interest of Checking for Visual Inspection with Acetic Acid (VIA) at TPMB Bidan R Cislak Pasar Cimanggis Depok Year 2022

Rina Wijayanti

Sekolah Tinggi Ilmu Kesehatan RSPAD Jakarta, Indonesia

Email: rina_wijayanti@stikesrspadgs.ac.id

Dina Raidanti

Sekolah Tinggi Ilmu Kesehatan RSPAD Jakarta, Indonesia

Email: dravidanti@gmail.com

Corresponding author email: dravidanti@gmail.com

Abstract--- Cervical cancer is a serious problem in Indonesia. Many cases and deaths occur one of them because early detection is less than optimal. To overcome this, WHO recommends Visual Inspection With Acetic Acid (VIA) as an effective screening method for detecting pre-cancerous lesions early. However, unfortunately, the coverage of VIA inspections is still low in several areas, including in West Java such as Depok City, Karawang Regency and Bekasi Regency. Therefore, this problem is interesting to study. This study aims to determine the Knowledge, Attitude, Motivation and Husband Support in Women of childbearing age with the Interest of Checking for Visual Inspection with Acetic Acid (VIA) at TPMB Bidan R Cislak Pasar Cimanggis Depok Year 2022. The method in this study used quantitative research using descriptive analytic methods with a cross-sectional approach. The sample used amounted to 32 people. Data analysis used the chi-square test statistic. The results of this study indicate that there is a significant relationship between the level of knowledge and support from husbands of women of childbearing age by conducting VIA checkings. However, there is no relationship between the level of attitude and motivation of women of childbearing age by carrying out a VIA checking. **Conclusion:** Increasing knowledge about VIA checkings and the role of husband's support can be an effective strategy in increasing awareness and participation of women of childbearing age in early detection of cervical cancer.

Keywords--- Cervical Cancer, Husband Support, Knowledge, Attitude, VIA.

Introduction

According to the World Health Organization (WHO) in Masriadi, in 2020 cervical cancer cases will be even higher, which is estimated to increase by 15 million new cases (Ayudia, 2021). Globocan International Agency for Research on Cancer (IARC) data, cervical cancer ranks second with an incidence rate of 17 per 100,000 women, new cases found 13.0% with a death rate of 10.3% per year of all cancer cases in women in the world. The type of cancer that has the highest contribution to the prevalence of cancer in women in Indonesia is cervical cancer. This cancer has a high mortality rate due to late early detection. Cervical cancer survivors are generally detected at an advanced stage. Cervical cancer can be found in the pre-cancerous stage (precancerous lesions) with VIA and papsmear methods. Early detection can reduce mortality and health financing. (Kemenkes, 2020)

WHO states that every woman in the target age group of 30-49 years should do early detection at least once, one of the screening tests or early detection of cervical cancer recommended by WHO is Visual Inspection With Acetic Acid (VIA). In detecting early pre-cancerous lesions with the VIA method, it is almost as effective as using the papsmear method. VIA is a direct checking using 3-5% acetic acid applied to the cervix or cervix, then observed for color changes. If there is a color change (becoming white), it can be confirmed that there is a precancerous lesion. The VIA method has a sensitivity rate of about 56-94% and has a specificity of 74-94%. Screening done every 1 year can help reduce 83.6% of cancer cases. (Apriyanti & Adista, 2020).

In Indonesia, 396,914 new cancer cases were recorded in 2020, in the last few years the latest cases have continued to increase, where cervical cancer cases in Indonesia are most commonly found in urban areas compared to

rural areas this occurs due to unhealthy living behaviors and lack of exercise (Kemenkes, 2019). Efforts in the form of promotive and preventive approaches have been carried out by the government as well as the main treatment actions consisting of surgery, irradiation and chemotherapy (Tuah, 2021). The highest mortality rate is dominated by cervical cancer in the world of 500,000 morbidity from cervical cancer about 50% per year of women who die. the morbidity rate of cervical cancer in Indonesia reaches 19.7%. of all women of childbearing age in Indonesia who suffer from cervical cancer, only 30% can be detected early and are still in the early stages, the rest have advanced stages (Tiahahu et al., 2020).

In an effort to overcome cancer, the Indonesian government conducts an early cancer detection program for Indonesian women for cervical cancer. The Indonesian government targets at least 80% of women aged 30-50 years to be able to detect cervical cancer early every 5 years, where early detection of cervical cancer with the Visual Inspection With Acetic Acid Method. For 2018 the implementation of early detection of cervical cancer the government targets 40% coverage with a target age of 30-50 years of 14.9 million and for North Sumatra as many as 741,576 women of childbearing age (Permenkes, 2015).

Based on RISKESDAS 2018 data, the prevalence of tumors/cancer in Indonesia showed an increase from 1.4 per 1000 population in 2013 to 1.79 per 1000 population in 2018. The highest prevalence of cancer was Yogyakarta at 4.86 per 1000 population, followed by West Sumatra at 2.47 per 1000 population and Gorontalo at 2.44 per 1000 population. And according to the data I obtained from the district office, there were 105 women affected by cervical cancer (RISKESDAS, 2018).

Based on data from the 2020 Indonesian Health Profile, it is known that nationally, 8.3% of women aged 30-50 years have undergone early detection of cervical cancer through the VIA method, the province with the highest early detection coverage is Bangka Belitung Islands at 37.6%, while West Java province ranks 17th out of 34 provinces in Indonesia with a percentage of VIA coverage of 6.8%. While the results of the VIA checking results have found 50,171 positive VIA and 5,847 suspected cervical cancer. Detection of cervical cancer using the VIA method was reported by districts / cities in West Java with 83,136 checkings in 2020, from the target of examining women aged 30 - 50 years of 5,992,545 people. Positive VIA coverage was 0.95% of the total number of cervical checkings, the coverage of suspected cancer was 0.40% (KEMENKES RI, 2021).

The largest positive VIA coverage was in Depok City at 12.84%. Meanwhile, the largest coverage of suspected cancer was in Karawang Regency at 3.39% and Bekasi Regency at 3.01%. (Indonesia Health Profile 2021). In 2020, cervical and breast checkings were carried out at thirty-eight (38) health centers and several private clinic laboratories in women aged 30-50 years as many as 1,199 participants. From these checkings 154 VIA positive cases were reported, 23 suspected cancer cases. (West Java Health Report 2021)

Based on the background description above, a study was conducted on "Knowledge, Attitudes, Motivation and Husband Support in Women of childbearing age with Interest in Visual Inspection With Acetic Acid (VIA) Checking at TPMB Midwife R Cisalak Pasar Cimanggis Depok West Java in 2022".

Method

This study used quantitative research using descriptive analytic method with cross sectional approach. The variables studied were knowledge, attitude, motivation, husband support as independent variables (Independent) and interest of women of childbearing age in VIA checking as dependent variables. The sample used amounted to 32 people. This research was conducted in September 2022. The research was conducted at TPMB Midwife R Cisalak Pasar Cimanggis Depok. Data analysis used in this study using chi - square test statistics.

Results and Discussion

Results

Frequency Distribution of Knowledge, Attitude, Motivation and Husband Support

Table 1
Frequency Distribution of Knowledge, Attitude, Motivation and Husband Support for VIA Test Checking at TPMB Midwife R Cisalak Pasar Cimanggis Depok in 2022

No.	Variable	Category	F	%
1	Knowledge	Good	22	68,8
		Less	10	31,3
		Total	32	100
2	Attitude	Positive	28	48,6

		Negative	4	42,9
		Total	32	100
3	Husband Support	Exist	7	21,9
		No	25	78,1
		Total	32	100
4	Motivation	Exist	31	96,9
		No	1	3,1
		Total	32	100
5	VIA Interest	Yes	17	53,1
		No	15	46,9
		Total	32	100

Table 4.1.2 shows that the knowledge of women of childbearing age is mostly in good category, namely 22 people (68.8%), in the attitude of women of childbearing age towards VIA tests has a positive attitude category as many as 28 people (48.6%), in the support of the respondent's husband in the category there is no husband's support as many as 25 people (78.1%), while in the motivation to do VIA with the category there is exist motivation as many as 31 people (96.9%) and in high interest in doing VIA tests in the category there is interest as many as 17 people (20.1%).

Relationship between Knowledge of Women of Childbearing Age towards VIA Checking

The Relationship between the Level of Knowledge of Women of Childbearing Age towards VIA Checking

Knowledge	VIA Interest		Total	Asymp.sign (2 – sided)
	Yes	No		
Good	11,7%	10,3%	22	0,000
Less	5,3%	4,7%	10	
Total	17	15	32	

In table 2, the results of the analysis using the chi-square test statistics by assessing the relationship between the level of knowledge of women of childbearing age in VIA Checking, it can be seen that the Asymp.sign value is 0.00, because the p-value is $0.00 < 0.05$, it can be concluded that there is a relationship between the level of knowledge of women of childbearing age with VIA Checking.

Relationship between Attitude of Women of Childbearing Age towards VIA Checking

The Relationship between the Level of Attitude of Women of Childbearing Age towards VIA Checking

Attitude	VIA Interest		Total	Asymp.sign (2 – sided)
	Yes	No		
Positive	14,9 %	13,1%	28	0,319
Negative	2,1%	1,9%	4	
Total	17	15	32	

In table 3 the results of the analysis using the chi - square test statistics by assessing the relationship between the level of attitude of women of childbearing age in VIA Checking shows the Asymp.sign value of 0.319, because the p-value > 0.05 , it can be concluded that there is no relationship between the attitude of women of childbearing age with VIA Checking.

Relationship Between Motivation Of Women Of Childbearing Age towards VIA Checking

Relationship between the Level of Motivation of Women of Childbearing Age towards VIA Checking

Motivation	VIA Interest		Total	Asymp.sign (2 – sided)
	Yes	No		
Exist	16,5 %	14,5%	31	

No	5%	5%	1	0,469
Total	17	15	32	

In table 4, the results of the analysis using the chi-square test statistics by assessing the relationship between the level of motivation of women of childbearing age in VIA Checking, it can be seen that the Asymp.sign value is 0.469 because the p-value > 0.05, it can be concluded that there is no relationship between the motivation of women of childbearing age with VIA Checking.

Relationship between Husband Support of Women of Childbearing Age towards VIA Checking

Table 5
The Relationship between the Level of Support from Husbands of Women of Childbearing Age towards VIA Checking

Husband Support	VIA Interest		Total	Asymp.sign (2 – sided)
	Yes	No		
Exist	3,7 %	3,3%	7	0,008
No	13,3%	11,7%	25	
Total	17	15	32	

In table 5, the results of the analysis using the chi-square test statistics by assessing the relationship between the level of support of husbands of women of childbearing age in VIA Checking, it can be seen that the Asymp.sign value is 0,008, because the p-value < 0.05, it can be concluded that there is a relationship between the support of husbands of women of childbearing age with VIA Checking ..

Discussion

Frequency Distribution of Knowledge, Attitude, Motivation and Husband Support

Based on the results of the study, it was found that mothers with poor knowledge were 10 people (31.2%), with good knowledge were 22 people (68.8%), mothers who had a positive attitude towards VIA Tests were 28 people (48.6%), mothers who had a negative attitude were 4 people (42.9%), mothers who had husband support in conducting VIA Tests were 7 people (21,9%), who did not have husband support were 25 people (78.1%), mothers who had motivation to do VIA were 31 people (96.9%), who did not have motivation amounted to 1 person (3.1%), mothers who had an interest in VIA Tests were 17 people (53.1%), and did not have an interest in VIA Tests were 15 people (46.9%).

Relationship between Knowledge of Women of Childbearing Age towards VIA Checking

Based on the results of the study, it was found that mothers with good knowledge had 11.7% interest, mothers with good knowledge had no interest as much as 10.3%, while mothers with poor knowledge had 5.3% interest and mothers with poor knowledge had no interest as much as 4.7%. The results of the chi-square statistical test between maternal knowledge and VIA Checking in women of childbearing age couples obtained a p-value of 0.00 < 0.05, it can be concluded that there is a relationship between the level of knowledge of women of childbearing age with VIA Checking. The results of this study are in line with other research conducted by Lestari in 2016 entitled Factors that Relate to the Willingness of women of childbearing age to Conduct Early Detection of Cervical Cancer at the Manahan Surakarta Health Center. The results showed that there was a significant relationship between knowledge and the willingness of women of childbearing age to do early detection of cervical cancer (p = 0.025) (Mouliza & Maulidanita, 2020). This research is also in line with research conducted by Dewi in 2014 with the title Factors Associated with Cervical Cancer Prevention Behavior in Women of childbearing age. The results showed there was a relationship between knowledge (p=0.045) Based on the results of this study, it is recommended for health care institutions, especially for public health center staff to improve health education for cervical cancer prevention and expand health promotion targets (Dewi L. et al., 2013).

According to Notoadmodjo, knowledge is the result of knowing, and this occurs after someone senses a certain object. Without knowledge, a person has no basis for making decisions and determining actions towards the problems. Knowledge or cognitive domain is a very important domain in shaping one's actions (overt behavior) (Ministry of Health of the Republic of Indonesia, 2018). Women who have less knowledge tend not to do VIA checks when compared to women with sufficient knowledge. This finding is in line with previous research (Anggiasih), women who have never done a VIA Checking tend to have minimal knowledge and have an imperfect understanding of VIA Checking. It is possible that the knowledge obtained is not perfect, so that women who have never done the Checking do not feel confident about the benefits obtained from VIA Checking.

According to the assumptions of researchers from the results of the study, it is known that the majority of mothers lack knowledge about early detection of cervical cancer or in other words, mothers have insufficient knowledge so

that it can be known that insufficient or sufficient knowledge will have an impact on the behavior of mothers who do not perform VIA Checkings. So it can be concluded from the results of this study that respondents who are well informed about the VIA test will have compliance in conducting the VIA test because they know the dangers and impacts of the disease that women fear most, namely cervical cancer with the VIA test cervical cancer can be found at an early stage. Respondents who undergo the VIA test tend to get more information about the VIA test compared to respondents who do not undergo the VIA test.

Respondents with sufficient knowledge are due to sufficient information and increasingly sophisticated technological advances to obtain information, both mass media and print media. While respondents who have less knowledge are due to the lack of information they get, especially information about the VIA test which causes these respondents not to want to do the VIA test. According to the researcher's assumption from the results of the study, it is known that the majority of mothers lack knowledge about early detection of cervical cancer or in other words, mothers have insufficient knowledge so that it can be known that insufficient or sufficient knowledge will have an impact on the behavior of mothers who do not perform VIA Checkings. So it can be concluded from the results of this study that respondents who are well informed about the VIA test will have compliance in conducting the VIA test because they know the dangers and impacts of the disease that women fear most, namely cervical cancer with the VIA test cervical cancer can be found at an early stage. Respondents who undergo the VIA test tend to get more information about the VIA test than respondents who do not undergo the VIA test. Respondents with sufficient knowledge are due to sufficient information and increasingly sophisticated technological advances to obtain information, both mass media and print media. Meanwhile, respondents who have less knowledge are due to the lack of information they get, especially information about the VIA test which causes these respondents not to want to do the VIA test.

Relationship between Attitude of Women of Childbearing Age towards VIA Checking

Based on the results of the study, it was found that mothers who had a positive attitude with an interest were 14.9%, mothers who had a good attitude with no interest were 13.1%, while mothers who had a negative attitude with an interest were 2.1% and mothers who had a negative attitude with no interest were 1.9%. The results of the chi-square statistical test between maternal knowledge and VIA Checking in women of childbearing age were obtained because the $p\text{-value} > 0.05$, it can be concluded that there is no relationship between the attitude of women of childbearing age and VIA Checking. The results of this study are in line with research conducted by L. Sri Dewi which states that women of childbearing age who have a high attitude have a probability of doing VIA Checking 28.769 times greater than women of childbearing age with a low attitude (Dewi L. et al., 2013). This means that someone with a positive attitude has a 4,524 times chance of doing a VIA Checking compared to someone who has a negative attitude. Attitude is a person's closed response to a certain stimulus or object, which already involves the opinion and emotion factors concerned (Nisatmodjo, 2012). Attitude is related to a person's mindset, beliefs, beliefs that form a certain understanding that someone will tend to do something. If the reaction or response is positive, the behavior tends to be positive and if the response is negative, the behavior tends to be negative as well. (Kalia & Muhani, 2020) If someone has a positive attitude towards VIA Checking, then based on this theory someone will do a VIA Checking. In accordance with the results of research conducted in the Wirobrajan Health Center work area, 37.3% of respondents with a positive attitude had done VIA and 91.2% of respondents with a negative attitude tended to never do VIA checks. Negative attitudes arise because most respondents still feel embarrassed, afraid if the Checking is painful, there are no complaints related to reproductive organs so they feel healthy and do not need VIA or do not have enough time to do the Checking.

According to the researcher's assumption, attitude has a relationship to the character and behavior of a person in doing something. Attitude is one of the predisposing factors that can influence a person's behavior. If mothers understand the benefits of early detection of cervical cancer, they will have a positive attitude in maintaining health and changing behavior from bad to good.

Relationship Between Motivation Of Women Of Childbearing Age towards VIA Checking

Based on the results of the study, it is known that it was found that mothers who had motivation with interest were 16.5%, mothers who had good motivation with no interest were 14.5%, while the mothers who had motivation with interest were 5% and mothers who had motivation with no interest were 5%. The results of the analysis using the chi-square test statistics by assessing the relationship between the level of attitude of women of childbearing age in VIA Checking showed an Asymptotic value of 0.469 because the $p\text{-value} > 0.05$, it can be concluded that there is no relationship between the attitude of women of childbearing age with VIA Checking.

The results of this study are not in line with Kurniawati's research which states that motivation ($p=0.001$) is significantly related to VIA Checking behavior (Dewi, 2014) Another similar study is Nurhastuti's research which states that motivation ($p=0.000$) is related to VIA Checking behavior in posyandu cadres (Novidasari & Juhaeriah, 2018). The results showed that respondents who had weak motivation mostly did not perform VIA Checkings, 56 (87.5%) and respondents with strong motivation only 36.4% performed VIA Checkings. This is because many respondents do not feel the need because there are no complaints related to reproductive organs (abnormal vaginal discharge, bleeding outside the menstrual cycle and so on), tend to do VIA if mass VIA is carried out or

recommended by health workers or the closest person (husband). Motivation is an internal or external drive in a person which is indicated by the desire and interest to carry out activities (Nursalam, 2011). Most respondents do not have the interest and willingness to do VIA so that the need for the importance of health to protect the reproductive organs (cervix) is also still lacking, therefore the urge to seek information and do VIA is also lacking and during socialization activities from cadres or health workers it is still rarely emphasized about how important early detection of cervical cancer (VIA or pap smear) can prevent or find out early the cancer.

Researchers have an assumption that strong motivation in women of childbearing age also turns out that there are those who do not participate in VIA Checking s, the researcher's assumption is that this is due to several other factors that cause women of childbearing age to decide not to participate even though most of the respondents' answers stated that VIA Checking s are very important. There seems to be fear from the personality of women of childbearing age who do not participate in VIA Checking s. This is in line with what Muharto (2014) stated that there are four factors that influence person's healthy living behavior, namely motivation, perception, ability, and personality. In this personality factor plays an important role in which the fear of conducting VIA Checking s will greatly influence decisions of women of childbearing age in participating in VIA Checking s.

Relationship between Husband Support of Women of Childbearing Age towards VIA Checking

Based on the results of the study, it was found that mothers who had husband support with an interest of 3.7%, mothers who had husband support with no interest were 3.3%, while mothers who did not have support with an interest were 13.3% and mothers who did not have support with no interest were 11.7%. The results of the analysis using the chy-square test statistics by assessing the relationship between the level of knowledge of women of childbearing age in VIA Checking showed an Asymp. sign. value of 0.98 because the p-value <0.05, it can be concluded there is a relationship between the support of husbands of women of childbearing age with VIA Checking . The result of this study are not in line with research conducted by Wahyuni which states that husband support is 3.05 times associated with behavior in early detection of cervical cancer.(Wahyuni, 2013). Another study that also states the same thing is Yuliwati's research which states that someone who has good support from their husband has a 5.587 times more chance of good VIA behavior.(Rasyid & Afni, 2017). Women who get good social support (support from partners, family, friends, or community leaders) tend to do early detection checks for cervical cancer. If a woman does not have a closest group, it will indirectly affect the woman's behavior. The husband is the closest person to the mother in interaction and in decision making.

The results of this study are in line with other research conducted by Lestari in 2016 entitled Factors that Relate to the Willingness of women of childbearing age to Conduct Early Detection of Cervical Cancer at the Manahan Surakarta Health Center. The results showed that there was a significant relationship between husband support and the willingness of women of childbearing age to do early detection of cervical cancer (p=0,010) (Lestari, 2016). The results of this study are not in line with research conducted by Rasyid on Factors Associated with the Behavior of Women of childbearing age about Early Detection of Uterine Cancer Via Inspection With Acetic Acid (VIA) Method at Puskesmas Singgani. The results of this study indicate that there is no relationship between husband/family support and the behavior of women of childbearing age with a value of $p=0.063 > 0.05$. Health workers are expected to provide information about cervical cancer and its prevention. So that people know the impact and risk of not doing early detection of cervical cancer VIA method (Rasyid & Afni, 2017). Support given to women of childbearing age from husband/family can be in the form of providing information about VIA Checking for early detection of cervical cancer. Support is also provided in the form of a positive response or response if the respondent invites discussion about women's health problems, one of which is cervical cancer and the VIA test. Conducting counseling to husbands to increase knowledge about cervical cancer and VIA Checking , so that husbands easily encourage their wives to conduct early Checking of cervical cancer (Rasyid & Afni, 2017).

According to the researcher's assumption based on the results of the study, it can be seen that the majority of mothers do not get support from their husbands to do VIA Checking s, but it can also be known that mothers who get support from their husbands but there are still many mothers who do not want to do VIA Checking s. Husband support plays a very important role in the wife's decision making. The area of Kelurahan Cisalak Pasar Cimanggis Depok still adheres to customs and culture. One of them is a culture where the husband has the highest position in the family and is very involved in every decision in the family, including the decision to do VIA Checking . But in this study, it is not enough to influence mothers in conducting VIA Checking s because this can be caused by shyness and fear of receiving a diagnosis of a disease. The more mature the age should be the more mature in thinking and will be wiser in conducting early detection of cervical cancer. But it does not rule out the possibility that the age of the individual who is expected to be mature and his thinking is commensurate with his age, actually refuses to receive and humbly wants to do early detection. Despite the support of the husband, if the mother does not want or feel not ready, it will ultimately affect the mother's decision to do early detection of cervical cancer and if the mother has enough information, knowledge, and high motivation to do VIA Checking , of course this will also affect the mother's behavior.

Conclusion

Article Error (ETS)

61 Based on the results of the study, the conclusion of this study is: there is a significant correlation between the level of knowledge of women of childbearing age and VIA Checking. This is because the p-value (0.00) is smaller than the significance limit (0.05). However, there is no significant relationship between the attitude of women of childbearing age and VIA Checking because the p-value (0.319) was greater than the significance limit (0.05). In addition, there was no significant relationship between the motivation of women of childbearing age and performing VIA Checking. This is because the p-value (0.469) is greater than the significance limit (0.05). And there is a significant relationship between the support of husbands of women of childbearing age and VIA Checking as evidenced by the p-value (0.08) which is smaller than the significance limit (0.05). So it can be said that, this study found a significant relationship between the level of knowledge and husband and support with VIA Checking at TPMB Midwife R Cislak Pasar Cimanggis Depok. However, there was no significant relationship with the attitude and motivation of women of childbearing age regarding VIA Checking.

This study can serve as a basis for developing more effective strategies to increase the participation of women of childbearing age in VIA screening for early detection of cervical cancer and further prevention efforts. It is recommended that future research on the same topic can develop and improve the content and research materials for better results.

References

- Arbyn, Marc, Murat Gultekin, Philippe Morice, Pekka Nieminen, Maggie Cruickshank, Philip Poortmans, Daniel Kelly, Mario Poljak, Christine Bergeron, David Ritchie, Dietmar Schmidt, Maria Kyrgiou, Ann Van den Bruel, Laia Bruni, Partha Basu, Freddie Bray, and Elisabete Weiderpass. 2021. "The European Response to the WHO Call to Eliminate Cervical Cancer as a Public Health Problem." *International Journal of Cancer*. doi: 10.1002/ijc.33189.
- Apriyanti, I., & Adista, N. F. (2020). Analisis minat melakukan pemeriksaan VIA test pada wanita usia subur sebelum dan sesudah penerapan penyuluhan di wilayah kerja puskesmas Singandaru. *Jurnal Riset Kebidanan Indonesia*, 4(2), 32–37. <https://doi.org/10.32536/jrki.v4i2.89>
- Arikunto. (2010). Suharsimi Arikunto.pdf. In *Prosedur Penelitian Suatu Pendekatan Praktik-Revisi ke X*.
- Arikunto, S. (2002). *Metodologi Penelitian Suatu Pendekatan Proposal*. 2017.
- Ayub, V. N. (2021). *Faktor-Faktor Yang Berhubungan Dengan Pemanfaatan Visual Inspection With Acetic Acid Di Puskesmas Titi Papan Medan Deli Tahun 2020*. 1–89.
- Azmi, U. (2017). *Analisis Gambaran Faktor Wanita Usia Subur (WUS) Terhadap Pemeriksaan PAP Smear Di RSUD. Lanto DG. Pasewang Janeponto*. 93(1), 259.
- Cahyono, A., Nurwijayanti, N., & Wardani, R. (2021). Analysis of Factors that Influence the Participation of Women of Childbearing Age in the Examination of Visual Acetic Acid Inspection (VIA) in Kanor Public Health Center, Bojonegoro Regency. *Journal for Quality in Public Health*. <https://doi.org/10.30994/jqph.v4i2.200>
- Dewi, L. (2014). Faktor - Faktor Yang Berhubungan Dengan Perilaku Wanita Usia Subur Dalam Deteksi Dini Kanker Serviks Dengan Metode Pemeriksaan Visual Inspection With Acetic Acid (VIA). *ProNers*.
- Dewi L., N. M. S., Suryani, N., & Murdani, P. (2013). Hubungan Tingkat Pendidikan dan Sikap Wanita Usia Subur (WUS) dengan Pemeriksaan Visual Inspection With Acetic Acid (VIA) di Puskesmas Buleleng I. *Jurnal Magister Kedokteran Keluarga*.
- Fathiyati, S., & Kes, M. (2019). Hubungan Karakteristik Dan Dukungan Keluarga Dengan Perilaku Deteksi Dini Kanker Serviks Pada Wanita Usia Subur *Jurnal Ilmiah Kesehatan Delima*, 9(1), 1–7.
- Kalia, N., & Muhani, N. (2020). Faktor Health Belief Model (HBM) yang Berhubungan Dengan Self Efficacy Melakukan Tes VIA pada Pasangan Usia Subur Usia 30-50 tahun. *JURNAL DUNIA KESMAS*. <https://doi.org/10.33024/jdk.v9i3.3046>
- Kemenkes RI. (2022). *Profil Kesehatan Indonesia 2021*. In *Pusdatin.Kemendes.Go.Id*.
- MENKES RI. (2021). *Profil Kesehatan Indonesia 2020*. In *Kemendagri Kesehatan Republik Indonesia*.
- metrian Kesehatan Republik Indonesia. (2018). *Basic Health Research 2018*. In *Riskesdas 2018*.
- sehatan, K., Penanggulangan, K., & Nasional, K. (n.d.). *Kanker Serviks*.
- Lestari, I. S. (2016). Faktor Faktor yang Mempengaruhi Kesiapan WUS Dalam Melakukan Deteksi Dini Kanker serviks di Puskesmas Manahan Surakarta. *Kemampuan Koneksi Matematis (Tinjauan Terhadap Pendekatan Pembelajaran Savi)*.
- is, D. R., Putri, A. D., & Binawan, U. (n.d.). *melalui Pemeriksaan Visual Asam*. 568–576.
- Mamuroh, L., & Nurhakim, F. (2020). Pendidikan Kesehatan dan Pelaksanaan VIA Test pada Wanita Usia Subur. *Media Karya Kesehatan*, 3(1), 39–49.
- Mananeke, L., Tawas, H., Ekonomi, F., & Manajemen, J. (2019). Analisis Faktor Determinan Keputusan Pembelian Digerai Starbucks Manado Town Square. *Jurnal EMBA: Jurnal Riset Ekonomi, Manajemen, Bisnis Dan Akuntansi*. <https://doi.org/10.35794/emba.v7i4.26022>
- manullang, melati, S. (2018). *Hubungan motivasi dan sikap wus dengan deteksi dini kanker serviks pada pemeriksaan VIA*.

- Misfa, Q. (2018). Pengaruh Pendidikan Kesehatan Tentang Kanker Serviks Terhadap Pengetahuan Dan minat WUS mengikuti VIA Test Di Wilayah Kerja Puskesmas Segiri Samarinda.
- Mouliza, N., & Maulidanita, R. (2020). Pengetahuan Ibu tentang Kanker Serviks terhadap Pemeriksaan VIA. *Jurnal Ilmiah Kebidanan Indonesia*. <https://doi.org/10.33221/jiki.v10i02.601>
- Nasution, D. L., Sitohang, N. A., & Adella, C. A. (2018). DETEKSI DINI KANKER SERVIK PADA WANITA USIA SUBUR DENGAN VISUAL INSPECTION WITH ACETIC ACID (VIA TEST) DI KLINIK BERSALIN KOTA MEDAN Early Detection Of Cervical Cancer In Fertile Age Women With Visual Asset Acid Inspection (VIA Test) In *Maternity Clinic Meda*. 3(2), 33–37.
- Nasution, S. (2019). Faktor Yang Berhubungan Dengan Minat WUS Dalam Pemeriksaan VIA Di Puskesmas Rawat Inap Sipori-pori Tanjungbalai tahun 2019. *Skripsi*, 123.
- Notoatmodjo, s., 2010. (2015). Notoatmodjo S. Metodologi Penelitian Kesehatan. Jakarta: Rineka Cipta; 2010. In *Biomass Chem Eng*.
- Notoatmodjo, S. (2012). Promosi Kesehatan & Ilmu Perilaku. In *Jakarta: Rineka Cipta*.
- Novidasari, S., & Juhaeriah, J. (2018). Faktor Yang Berhubungan Dengan Perilaku Deteksi Dini Kanker Serviks Metode Visual Inspection With Acetic Acid (VIA) Pada Wanita Usia Subur Di Wilayah Kerja Puskesmas Cimahi Tengah Tahun 2018. *Pinlitamas I*.
- Nursalam. (2011). MANAJEMEN KEPERAWATAN Aplikasi dalam Praktik Nursalam. (2011). MANAJEMEN KEPERAWATAN Aplikasi dalam Praktik Keperawatan Profesional Edisi 3. Salemba Medika. <https://doi.org/10.1016/j.archinte.165.22.2659>Keperawatan Profesional Edisi 3. Salemba Medika.
- Rahmandati, D. (2019). VISUAL ASSETAT DI DUSUN GADING LUMBUNG BANTUL TAHUN 2019.
- Raidanti, D., & Wijayanti, R. (2021). Influence of Health Counseling with Media Leaflets on Women of Childbearing Age (WUS): Knowledge and Attitude to Conduct PAP Smear at Midwifery Poly in RSPAD Gatot Soebroto Jakarta. 4(September), 362–366.
- Rasyid, N., & Afni, N. (2017). FAKTOR-FAKTOR YANG BERTHUBUNGAN DENGAN PERILAKU WUS (WANITA USIA SUBUR) TENTANG DETEKSI DINI KANKER LEHER RAHIM METODE VIA (VISUAL INSPECTION WITH ACETIC ACID). *PROMOTIF: Jurnal Kesehatan Masyarakat*. <https://doi.org/10.31934/promotif.v7i1.26>
- skesdas. (2018). Hasil Utama Riskesdas 2018 Kementerian. *Kementerian Kesehatan Republik Indonesia*.
- Rusdiyanti. (2017). Hubungan Pengetahuan dan Sikap WUS tentang Detek Dini Kanker Lehe Rahim dengan Pemeriksaan VIA di Puskesmas Lepo2.
- Safitri, A., & Ilyas, H. (2015). Hubungan pemakaian alat kontrasepsi suntik tiga bulan depo medokradi progestrone asetat (dmpa) dengan perubahan berat badan. *Jurnal Keperawatan*.
- Suhartini, L., & Setyorini, W. (2017). Hubungan Karakteristik Wanita Usia Subur (WUS) dengan Pengetahuan tentang Tes VIA di Puskesmas Kecamatan Cempaka Putih Periode Mei Tahun 2017. *Prosiding Pertemuan Ilmiah Tahunan (PIT) Bidan, November*, 101–112.
- Suparyanto dan Rosad (2015). (2020). Profil Kesehatan Jawa Barat. *Suparyanto Dan Rosad (2015, 5(3), 248–253*.
- Tiahahu, C. H. M., Ilmu, B., Masyarakat, K., Studi, P., & Dokter, P. (2020). MINAT PEMERIKSAAN VIA DI PUSKESMAS Pendahuluan Angka kematian paling banyak pada Wanita Usia Subur (WUS) masih dapat bertahan hidup pada Tingginya mortalitas dan kasus kanker tidak memeriksakan diri lebih dini sehingga Diagnosa kanker serviks diperiksa . 11(1).
- th, U. H. (2021). *Hang tua medical journal*. 19(1), 132–158.
- Wahyuni, S. (2013). Faktor-faktor yang mempengaruhi perilaku deteksi dini kanker serviks di kecamatan ngampel kabupaten kendal jawa tengah. *Jurnal Keperawatan Maternitas*.

IJHMS-Rina Wijayanti dan Dina Raidanti OKE.docx

ORIGINALITY REPORT

48%
SIMILARITY INDEX

45%
INTERNET SOURCES

36%
PUBLICATIONS

23%
STUDENT PAPERS

PRIMARY SOURCES

1	e-journal.sari-mutiara.ac.id Internet Source	4%
2	pdfs.semanticscholar.org Internet Source	2%
3	"1st Annual Conference of Midwifery", Walter de Gruyter GmbH, 2020 Publication	2%
4	iarconsortium.org Internet Source	2%
5	repository.uki.ac.id Internet Source	2%
6	repository.usu.ac.id Internet Source	1%
7	digilib.unila.ac.id Internet Source	1%
8	Submitted to Riga Stradins University Student Paper	1%
9	garuda.kemdikbud.go.id Internet Source	1%

10	jurnalkesehatan.unisla.ac.id Internet Source	1 %
11	www.myfoodresearch.com Internet Source	1 %
12	jurnal.stikmuhptk.ac.id Internet Source	1 %
13	e-journal.unair.ac.id Internet Source	1 %
14	midwifery.iocspublisher.org Internet Source	1 %
15	lp2m.stikesayani.ac.id Internet Source	1 %
16	www.jqph.org Internet Source	1 %
17	Submitted to Universitas Sumatera Utara Student Paper	1 %
18	Nova Nurwinda Sari, Annisa Agata, Armen Patria. "Factors Affecting Covid-19 Disease Prevention Behavior in Bandar Lampung, Indonesia", Journal for Quality in Public Health, 2020 Publication	1 %
19	repository.stikeselisabethmedan.ac.id Internet Source	1 %

20	Tini Jufri, Katmini Katmini. "Implementation of Theory of Planned Behaviors to Participation and IVA Examination in Female Age Women", Journal for Quality in Public Health, 2021 Publication	1 %
21	journal.formosapublisher.org Internet Source	1 %
22	Submitted to Badan PPSDM Kesehatan Kementerian Kesehatan Student Paper	1 %
23	neuroquantology.com Internet Source	1 %
24	repository.poltekkes-denpasar.ac.id Internet Source	1 %
25	jurnal.globalhealthsciencegroup.com Internet Source	1 %
26	nersmid.org Internet Source	1 %
27	www.jurnalkesehatan.unisla.ac.id Internet Source	1 %
28	jos.unsoed.ac.id Internet Source	1 %
29	www.ejurnalmalahayati.ac.id Internet Source	1 %

30 Aang Curatman, Agus Suroso, Suliyanto Suliyanto. "Loyalty program and communication effectiveness as drivers of store loyalty", *Measuring Business Excellence*, 2021
Publication

31 Winda Nur Musfiroh Agustin, Ervi Husni, Ani Media Harumi, Erwin L. Rimban. "An Analysis of Factors Influencing Participation of Men Fertilizer Age Couples to Acceptors of Mop (Male Operating Methods) Contraception", *International Journal of Advanced Health Science and Technology*, 2022
Publication

32 jurnal.stikes-aisyiyah-palembang.ac.id
Internet Source

33 media.neliti.com
Internet Source

34 pt.scribd.com
Internet Source

35 jurnal.unived.ac.id
Internet Source

36 Dedy Hermawan, Simon S. Hutagalung. "Analysis of Supporting Factors for the Development of Tourism Destinations Based

on Local Wisdom in South Lampung", KnE Social Sciences, 2023

Publication

37	Submitted to University of San Francisco Student Paper	<1 %
38	journal.amikveteran.ac.id Internet Source	<1 %
39	jurnal.htp.ac.id Internet Source	<1 %
40	eprints.poltekkesjogja.ac.id Internet Source	<1 %
41	digilib.esaunggul.ac.id Internet Source	<1 %
42	www.ijmra.in Internet Source	<1 %
43	ojs.htp.ac.id Internet Source	<1 %
44	repositori.usu.ac.id Internet Source	<1 %
45	repository.poltekkesbengkulu.ac.id Internet Source	<1 %
46	Submitted to Universitas Airlangga Student Paper	<1 %
47	ejournal.poltektegal.ac.id Internet Source	<1 %

48	journal.uin-alauddin.ac.id Internet Source	<1 %
49	sloap.org Internet Source	<1 %
50	Suwoyo Suwoyo, Berty Pritasari, Indah Rahmaningtyas. "Historical Relationship with Adolescent Pregnancy Stunting Events in Children Age 24-60 Months in Pranggang Village, Kediri District", Journal for Quality in Public Health, 2021 Publication	<1 %
51	journal.unnes.ac.id Internet Source	<1 %
52	Submitted to Universitas Nasional Student Paper	<1 %
53	repositori.umrah.ac.id Internet Source	<1 %
54	repository.poltekkes-kaltim.ac.id Internet Source	<1 %
55	repository.unsoed.ac.id Internet Source	<1 %
56	Nouessewa Fanny Maryline Hounkponou, Mahublo Vodouhe, Roger Klipkezo, Yeyinou Ahouingnan et al. "Associated with Knowledge, Attitude, Practice of Women of	<1 %

Childbearing Age towards Gynecological and Breast Cancer in Glazoue, Benin in 2021",
Open Journal of Obstetrics and Gynecology,
2023

Publication

57

Submitted to MAHSA University

Student Paper

<1 %

58

Riyadi, Anesa Surya, Sandra Bayu Kurniawan.
"Teacher Competency Profile in Developing
Mathematical Literation of Students in Basic
Schools Assessed from Class Level",
Proceedings of the 4th International
Conference on Learning Innovation and
Quality Education, 2020

Publication

<1 %

59

Submitted to Universitas Teuku Umar

Student Paper

<1 %

60

repo.unand.ac.id

Internet Source

<1 %

61

Muhamad Iqbal Akhmalbih, Astri Pinilih, Tusy
Triwahyuni, Devita Febriani Putri.
"Predisposition Factors Affecting
Completeness Of Measles Rubella (Mr) Basic
Vaccination During The Covid-19", Jurnal
Kebidanan Malahayati, 2022

Publication

<1 %

- 62 Ridha Aprilia, A. Arsunan Arsin, Masni. "Determinants of early detection of cervical cancer with visual inspection with acetic acid method among childbearing age women", *Enfermería Clínica*, 2020
Publication <1 %
-
- 63 ejournal.stikessalsabilaserang.ac.id
Internet Source <1 %
-
- 64 Fatwa Imelda, Siti Saidah Nasution, Heru Santosa. "Predisposing, enabling and reinforcing factors of fertile age women in early detection of cervical cancer", *Enfermería Clínica*, 2022
Publication <1 %
-
- 65 Submitted to Sriwijaya University
Student Paper <1 %
-
- 66 Sutanto Sutanto, Jhons Fatriadi Suwandi, Keumala Hayati, Reni Zuraida, Wuryaningsih Dwi Sayekti. "Important Factors Affecting the Compliance of Pregnant Women with Iron Deficiency Anemia During a Pandemic", *Jurnal Aisyah : Jurnal Ilmu Kesehatan*, 2021
Publication <1 %
-
- 67 Syahrir Syahrir, Fatmawati Fatmawati. "Relationship between Head of Room Leadership Style and Level of Job Satisfaction of Nurses in Inpatient Room of Bhayangkara <1 %

Hospital", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2023

Publication

68

Dedi Supriadi, Rudi Kurniawan, Hilman Firman Esa, Jajuk Kusumawaty, Atun Farihatun, Rosmiati. "Record Results Analysis Electrocardiogram (ECG) at Pangandaran Health Center", Journal of Physics: Conference Series, 2019

Publication

<1 %

69

Fatwa Imelda, Mula Tarigan, Heru Santosa. "The Influence of WhatsApp Education Information Communication on Knowledge and Attitude of Early Cervical Cancer Detection Medan", Open Access Macedonian Journal of Medical Sciences, 2022

Publication

<1 %

70

Submitted to Universitas Indonesia

Student Paper

<1 %

71

adoc.tips

Internet Source

<1 %

72

Andi Asrina, Sutriani Sutriani, Andi Tenri, Yusriani Yusriani, Sukri Palutturi. "The Effect of Health Promotion Media on Breastfeeding Mothers' Attitude about Exclusive Breastfeeding in Bone Regency, South Sulawesi", Open Access Macedonian Journal of Medical Sciences, 2022

<1 %

-
- 73** Lilis Suryani, Agni Laili Perdani, Regidor III Dioso, Lee Siew Hoon. "Fall risk prevention: The related factors of nurses practice at general local hospital in Indonesia", *Enfermería Clínica*, 2020
Publication <1 %
-
- 74** Submitted to Politeknik Kesehatan Kemenkes Surabaya
Student Paper <1 %
-
- 75** Submitted to Universitas Hasanuddin
Student Paper <1 %
-
- 76** sciencescholar.us
Internet Source <1 %
-
- 77** repository.upnvj.ac.id
Internet Source <1 %
-
- 78** Kartika Adyani, Friska Realita. "Factors that influence the participation among women in Inspection Visual Acetic acid (IVA) test", *Jurnal Aisyah : Jurnal Ilmu Kesehatan*, 2020
Publication <1 %
-
- 79** core.ac.uk
Internet Source <1 %
-
- 80** Elanda Fikri, Yura Witsqa Firmansyah, Muhammad Fadli Ramadhansyah, Wahyu Widyantoro et al. "Environmental Exposure to

Breast Cancer: Study Narrative Review, How to Prevent in Indonesia?", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2021

Publication

81

Ni Putu Eka Putrisuastini, Luh Ayu Purnami, Putu Sukma Megaputri, Putu Dian Prima Kusuma Dewi. "PENGETAHUAN DAN DUKUNGAN SUAMI TERHADAP PEMERIKSAAN INSPEKSI VISUAL ASAM ASETAT (IVA) PADA WANITA USAI SUBUR DI MASA PANDEMI COVID 19", Jurnal Keperawatan dan Kesehatan Masyarakat Cendekia Utama, 2023

Publication

<1 %

82

[docplayer.info](https://www.docplayer.info)

Internet Source

<1 %

83

ejournal.upnvj.ac.id

Internet Source

<1 %

84

ejurnal.poltekkes-tjk.ac.id

Internet Source

<1 %

85

journal.stkipsingkawang.ac.id

Internet Source

<1 %

86

journals.ums.ac.id

Internet Source

<1 %

87

jurnal.unitri.ac.id

Internet Source

<1 %

88

knepublishing.com

Internet Source

<1 %

89

ppjp.ulm.ac.id

Internet Source

<1 %

90

Yohannes Yohannes, Dadang Juandi, Nana Diana. "The Evaluation of Problem-Based Learning Model Towards High School Students' Critical Thinking Skills: A Meta-Analysis Study in Indonesia", 2020 12th International Conference on Education Technology and Computers, 2020

Publication

<1 %

91

etheses.uin-malang.ac.id

Internet Source

<1 %

92

journal.poltekkes-mks.ac.id

Internet Source

<1 %

93

jp.feb.unsoed.ac.id

Internet Source

<1 %

94

repository.uinsaizu.ac.id

Internet Source

<1 %

95

www.journal.stikep-ppnijabar.ac.id

Internet Source

<1 %

96

Mirza Aulia Cahyani, Ira Titisari, Lumastari Ajeng Wijayanti. "The Relation Between the Use of Hormonal Contraception Methods with The Leucorrhoea Occurrence", Jurnal Ners

<1 %

97

Nessa Sontiva, Laili Rahayuwati, Mamat Lukman, Kusman Ibrahim, Ikeu Nurhidayah. "Perception of Primary Cervical Cancer Prevention in Adolescents in West Java", Asian Community Health Nursing Research, 2019

Publication

<1 %

98

Agung Cahyono, Nurwijayanti Nurwijayanti, Ratna Wardani. "Analysis of Factors that Influence the Participation of Women of Childbearing Age in the Examination of Visual Acetic Acid Inspection (IVA) in Kanor Public Health Center, Bojonegoro Regency", Journal for Quality in Public Health, 2021

Publication

<1 %

99

Aprina Aprina, Titi Astuti, Gustop Amatiria. "Early Warning System of Cervic Cancer (EWS Ca. CERVIC) In Women of Reliable Age Based on Mobile", Jurnal Aisyah : Jurnal Ilmu Kesehatan, 2022

Publication

<1 %

100

Irpan Ali Rahman, Dedi Supriadi, E. Khoridatul Fadilah, Rudi Kurniawan, Elis Noviati, Ima Sukmawaty, Heni Marliany. "Community Knowledge of and Attitudes Towards the

<1 %

Implementation of Health Protocols to Prevent COVID-19", KnE Life Sciences, 2022

Publication

Exclude quotes Off

Exclude matches Off

Exclude bibliography Off



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " You have a spelling or typing mistake that makes the sentence appear to have a comma error.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing ", " You may need to place a comma after this word.



Prep. You may be using the wrong preposition.



Prep. You may be using the wrong preposition.



Run-on This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



Article Error You may need to use an article before this word.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Confused You have used **to** in this sentence. You may need to use **too** instead.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Missing "?" Remember to use a question mark at the end of a question.



Missing ", " You may need to place a comma after this word.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.



Missing ", " You may need to place a comma after this word.



Frag. This sentence may be a fragment or may have incorrect punctuation. Proofread the sentence to be sure that it has correct punctuation and that it has an independent clause with a complete subject and predicate.



Missing ", " You may need to place a comma after this word.



Missing ", " You may need to place a comma after this word.



Missing ", " You may need to place a comma after this word.



Coord. Conjunction These sentences begin with coordinating conjunctions. Try to combine them with the sentences that precede them.



Run-on This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



Missing ", " You may need to place a comma after this word.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.



Missing ", " You may need to place a comma after this word.



Article Error You may need to use an article before this word.



Missing ", " You may need to place a comma after this word.



Article Error You may need to remove this article.



Article Error You may need to use an article before this word. Consider using the article **the**.



Missing "," You may need to place a comma after this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word. Consider using the article **the**.



Missing "," You may need to place a comma after this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word. Consider using the article **the**.



Article Error You may need to use an article before this word.



Missing "," You may need to place a comma after this word.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word. Consider using the article **the**.



Run-on This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



Article Error You may need to use an article before this word. Consider using the article **the**.



Article Error You may need to use an article before this word.



Prep. You may be using the wrong preposition.



Article Error You may need to use an article before this word. Consider using the article **the**.



Confused You have used **to** in this sentence. You may need to use **two** instead.



Run-on This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



Run-on This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



Article Error You may need to use an article before this word. Consider using the article **the**.



Missing "," You have a spelling or typing mistake that makes the sentence appear to have a comma error.



Missing "," You may need to place a comma after this word.



Possessive You may need to use an apostrophe to show possession.



Prep. You may be using the wrong preposition.



Run-on This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



Sentence Cap. Remember to capitalize the first word of each sentence.



Article Error You may need to use an article before this word.



Sp. This word is misspelled. Use a dictionary or spellchecker when you proofread your work.



Article Error You may need to use an article before this word. Consider using the article **the**.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.



P/V You have used the passive voice in this sentence. Depending upon what you wish to emphasize in the sentence, you may want to revise it using the active voice.



Article Error You may need to use an article before this word. Consider using the article **the**.



Missing ", " You may need to place a comma after this word.



Prep. You may be using the wrong preposition.



Article Error You may need to use an article before this word. Consider using the article **the**.



Article Error You may need to use an article before this word. Consider using the article **the**.



Run-on This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



Article Error You may need to use an article before this word.



Article Error You may need to use an article before this word. Consider using the article **the**.



Prep. You may be using the wrong preposition.



Prep. You may be using the wrong preposition.



Prep. You may be using the wrong preposition.



Run-on This sentence may be a run-on sentence. Proofread it to see if it contains too many independent clauses or contains independent clauses that have been combined without

conjunctions or punctuation. Look at the "Writer's Handbook" for advice about correcting run-on sentences.



Sentence Cap. Remember to capitalize the first word of each sentence.



Article Error You may need to use an article before this word.



Prep. You may be using the wrong preposition.



Article Error You may need to use an article before this word.



Confused You have used **to** in this sentence. You may need to use **two** instead.



Confused You have used **to** in this sentence. You may need to use **two** instead.



Article Error You may need to use an article before this word. Consider using the article **the**.



Article Error You may need to use an article before this word.



Coord. Conjunction These sentences begin with coordinating conjunctions. Try to combine them with the sentences that precede them.



Coord. Conjunction These sentences begin with coordinating conjunctions. Try to combine them with the sentences that precede them.



Missing "," You may need to place a comma after this word.



Article Error You may need to use an article before this word.

PAGE 7



Missing "," You may need to place a comma after this word.



Coord. Conjunction These sentences begin with coordinating conjunctions. Try to combine them with the sentences that precede them.

PAGE 8
